

China

ZhuoKang

ISO9001

Negotiate

5-8 work days

6000 meter per day

1220*2440*5mm/8mm

Pallet+Carton Packaging

Formaldehyde-Free And Environmentally Friendly Bamboo Wood Fiber Fabric Wall Panel

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: Negotiate
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Wall Board Factory

Product Specification

- Material:
- Product Name:
- Feature:
- Usage:
- Color:
- Packing:
- Function
- Application:
- Highlight:

:	Bamboo Charcoal ,Bamboo Wood Fiber
Name:	PVC Wall Panel, Decorative Wall Panel
	Eco-friendly,Waterproof+ECO- Friendly,Moisture-Proof
	Administration,Commerce,Entertainment,Hou Wall Panel Decration
	Customized
:	Packed By Carton And Pallet
:	Moisture-Proof,Waterproof,Soundproof,Anti- static
ion:	Interiors Homes, Interior & Exterior Wall Decoration, school, office, Wall Decoration

Bamboo Wood Fiber Fabric Wall Panel, Formaldehyde Free Fiber Fabric Wall Panel, Formaldehyde Free Wood Fabric Wall Panel



More Images

FLAME RETARDANT





for more products please visit us on bamboocharcoalboard.com

Formaldehyde-Free And Environmentally Friendly Bamboo Wood Fiber Fabric Wall Panel

Bamboo Wood Fabric Wall Paneling combines bamboo wood fibers and fabric to bring nature, texture and comfort to interior spaces. The natural beauty of the bamboo wood fibers showcases the rustic appeal of the interior, while the soft and inviting fabric finish enhances the appeal of the wall panels. With its versatile design, the wall panel can be used as an accent wall, decorative focal point or art installation to suit different interior styles. In addition, the combination of wood fiber and fabric enhances comfort and wellness, creating a serene and peaceful environment. Wall panels are durable and easy to install and maintain, while also enhancing the texture and style of the interior. Using wood fiber fabric wall panels can create a comfortable retreat that enhances the taste and lifestyle of the interior. This type of wall paneling also allows one to immerse themselves in the serenity of nature, creating a sanctuary of peace and tranquility.

Specification

opeometation	
Item	Value
Material	Bamboo Charcoal Wall Panel
Size	1220*2440/2600/2800/3000*5/8mm
Length	Customer's Demand
After-sale Service	Online technical support

Advantages

Easy Installation, Environmental Protection, Flexible, Bendable, High Density, foldable. Fireproof +waterproof+Moisture-proof+anti-scratch+Sound-Absorbing, Mould-Proof.Lightweight. Clear textures, Variety of colours, etc.

Applications

Hotel/Villa/Apartment/Office Building/Bathroom/Dining/Living Room/Shopping Mall,etc.

Our Product Introduction





Choose wood decorative environmental integrated wall panel decoration

EASY INSTALLATION SEAMLESS SPLICING



PARAMETER PRODUK



Ukuran khusus didukung / tanyakan layanan pelanggan untuk detailnya

KEAMANAN PENGUJIAN OTORITATIF

Beli dengan percaya diri dan hidup dengan tenang

Aman, tidak berbau, tidak berbahaya, dan bebas formalin

SGS	8745 6 40400 (147) 8745 6 40400 (147) 8745 6 40400 (147) 8745 6 40400 (147)	RAND	64 - 6760000 64 - 20050 64 - 201	
	PARK 1 ED-2512811 PARK 1 X00m	AL.81		
	HART : NO-1 CIDESTEARPERIAL NO-APPERPRESENCE ENANCORM	118	4119	1
and the second se	85	2.6	24	
anne 31	астана : 200-00 Волат : 200-00 Волат : астаната волата салата салата Салата салата салата Салата салата		R.S.N. N.S. SHOP (N.S. S.S. S.S. S.S. S.S. S.S. S.S. S.S	


NATURAL BAMBOO POWDER

Natural wood, no formaldehyde, no odor



THICKENING DESIGN

The service life of the board is longer, rest assured to buy



INFORMATION

TTINGS ITS DAVE WERE SHOP AND SEVERAL WOOD FLAG TIC PRESNETTON LIVES, WHICH NAME BE IN FREDUCED AND USED FOR NAME YE SALES EXPERIENCE, STARLE OSALTY, WARRAULE PRES, THILLY EXAMPLE AND SUPPORT INFORMATION

Easy to clean Waterproof and moisture-proof





Fire retardant Not easy to deform







Easy installation

FITUR PRODUK

SAS TELEMA WORKSHER ARE SEVERAL WOOD FLATTE FROM THAT UNDER MICH HARE BEINFROM TO AND USED FOR HANY YEARS SALES EPIREMICS, STARLE QUALITY, FAVORABLEPRICE, THELY DELYTE AT HAD SUFFICENT HAD FOR











MUDAH DIPASANG







SUITS OWN INCIDENCES AND SEVERAL MODE PLANTE PRODUCTION LINES, WHICH HAVE BEEN PRODUCE CAMPLESS FOR MANY YEAR SAUEL EXPERIENCE, STRELE QUALITY, INCIDENCE PRICE, THESE SEVERAL PRICE, MANY YEAR



PRODUCTION PROCESS









ABOUT US

HIGH-END CUSTOM WOOD VENEER

PRODUCTION BASE

Shanghai Zhuokang Wood Industry Co., LTD.,main pvc wall panel, wood solid grille, ecological wood Great Wall panel, U-shaped ceiling, square, wood sound-absorbing wall panel and other products.





Shanghai Zhuokang Wood Industry Co., Ltd. is a professional enterprise integrating research and development, production and sales. Through long-term research and experiments, we have successfully improved the parameters of the product, making our products more durable, waterproof, moisture-proof, flame retardant and environmental protection. Looking forward to the future, we will redouble our efforts to hone our internal skills, and return our customers and society with more mature technology, high-quality environmental protection products and excellent intimate service. If you need, please feel free to contact us!

> Q:How does your factory do regarding quality control? A:"Quality is priority". Our factory has gained ISO9001 ,ISO45001, ISO 14001

> > Q:Can we make an OEM order? A: We can offer or supply goods as customers' requirements.

Q: Do you offer free samples ? A: Free sample is available, but delivery cost paid by customer.

Q: What is your delivery time ? A: Generally, 1-2 weeks after confirmation of your deposit payment. Specific time depends on order items and order quantity.

Q: How about the delivery time ? A: Lead time since receipt of 30% T/T deposit payment : 15-30 days. (Samples will be prepared within 5 days.)

> Q: What kind of of payments does support ? A: T/T, L/C, D/P, e-Credit Line

> > Q: Where are your main markets?

